

38 National nutrition policy

Summary

The World Health Organization has offered to help member governments to formulate national nutrition policies. Such policy formulations will require contributions from several sectors of society. The objectives of national nutritional policy need to be clear. Several countries, under-developed and industrialized, have now formulated policies. In 1979 dietary guidelines for Australians were developed, but a national nutrition policy still requires consideration. The relative claims of the individual and the community at large will need reconciliation.

Introduction

A National Nutrition Policy in Australia should enable Australians to obtain locally produced food appropriate to their nutritional needs. The Thirtieth World Health Assembly of the World Health Organization (WHO) in 1977 adopted a resolution urging member governments 'to further multi-sectional programmes specifically orientated to improve the nutritional situation of the population . . . and to consider the food and nutritional implications of their development policies and plans'.

Interest groups

A National Nutrition Policy cannot be formulated without consultation between various sectors of the community, including the following:

1. health professionals (nutritionists and dietitians, nurses, physical educationists, medical practitioners),
2. farmers and agriculturalists,
3. the food industry,
4. educators,
5. consumers, and
6. government.

Specific objectives

Some suggested objectives of a national nutrition policy would be:

1. to produce food locally or within Australia as far as possible; the less the food imports the less vulnerable the food supply system; the total energy costs of locally grown food would also be less;

2. to produce food with as little ecological disturbance as possible and with the least demand on non-renewable resources;
3. to ensure an adequate energy and nutrient intake for all Australians, an adequate diet;
4. to promote a food intake pattern that carries the least risk for those disorders that most affect Australians, a prudent diet; and
5. to assist food-deficit countries to achieve a satisfactory local food production and, where necessary, to produce additional food within Australia to make good food shortages in those countries.

Experience in other countries

For under-developed countries, the nutrition problems have been more evident for longer and efforts have been made to develop nutrition policies which would ameliorate the burden of malnutrition. Amongst developed countries, Sweden in 1971 was the first to develop a programme aimed at modifying nutrient intake, a ten year Diet and Exercise program was begun. Already in 1963 Sweden had a national farm policy which included nutritional considerations. Other countries have followed with similar recommendations: the Netherlands in 1973, Norway in 1975, Canada in 1976, the Federal Republic of Germany in 1976, the U.S.A. in 1977 and the U.K. in 1978.

The United States Senate Select Committee on nutrition and human needs under the chairmanship of Senator McGovern published its first report in 1977. The recommendations were quantitative and were subsequently modified in regard to the amounts and/or proportions of macronutrients. Finally, the directional changes thought desirable were embodied in the qualitative combined recommendations of Health, Education and Welfare (HEW) and the United States Department of Agriculture in January 1980. These are listed below.

Dietary guidelines for Americans

1. Eat a variety of foods

To assure yourself an adequate diet:

Eat a variety of foods daily, including selections of:

- (a) Fruits;
- (b) Vegetables;
- (c) Wholegrain and enriched breads, cereal and grain products;
- (d) Milk, cheese and yoghurt;
- (e) Meats, poultry, fish, eggs; and
- (f) Legumes (dry peas and beans).

To assure your baby an adequate diet:

- (a) Breast feed unless there are special problems,
- (b) Delay other foods until baby is three to six months old, and
- (c) Do not add salt or sugar to baby's food.

2. Maintain ideal weight

To improve eating habits:

- (a) Eat slowly,
- (b) Prepare smaller portions, and
- (c) Avoid 'seconds'.

To lose weight:

- (a) Increase physical activity,
- (b) Eat less fat and fatty foods,
- (c) Eat less sugar and sweets, and
- (d) Avoid too much alcohol.

3. Avoid too much fat, saturated fat and cholesterol

To avoid too much fat, saturated fat, and cholesterol:

- (a) Choose lean meat, fish, poultry, dry beans and peas as your protein sources,
- (b) Moderate your use of eggs and organ meats (such as liver),
- (c) Limit your intake of butter, cream, hydrogenated margarines, shortenings and coconut oil, and foods made from such products,
- (d) Trim excess fat off meats,
- (e) Broil, bake, or boil rather than fry, and
- (f) Read labels carefully to determine both amount and types of fat contained in foods.

4. Eat foods with adequate starch and fibre

To eat more complex carbohydrates daily:

- (a) Substitute starches for fats and sugars, and
- (b) Select foods which are good sources of fibre starch, such as wholegrain breads and cereals, fruits and vegetables, beans, peas and nuts.

5. Avoid too much sugar

To avoid excessive sugars:

- (a) Use less of all sugars, including white sugar, brown sugar, raw sugar, honey and syrups.
- (b) Eat less of foods containing these sugars, such as candy, soft drinks, ice cream, cakes, cookies,
- (c) Select fresh fruits or fruits canned without sugar or light syrup rather than heavy syrup,
- (d) Read food labels for clues on sugar content: if the names sucrose, glucose, maltose, dextrose, lactose, fructose, or syrups appear first, then there is a large amount of sugar, and
- (e) Remember, how often you eat sugar is as important as how much sugar you eat.

6. Avoid too much sodium

To avoid too much sodium:

- (a) Learn to enjoy the unsalted flavours of foods,
- (b) Cook with only small amounts of added salt,
- (c) Add little or no salt to food at the table,
- (d) Limit your intake of salty foods, such as potato chips, pretzels, salted nuts and popcorn, condiments (soy sauce, steak sauce, garlic salt), cheese, pickled foods, cured meats, and
- (e) Read food labels carefully to determine the amounts of sodium in processed foods and snack items.

7. If you drink alcohol, do so in moderation

In May 1980, the Food and Nutrition Board of the United States National Academy of Sciences issued a document 'Towards Helpful Diets'. It restricted its dietary recommendations to the following:

- 1. Select a nutritionally adequate diet from the foods available, by

consuming each day appropriate servings of dairy products, meats or legumes, vegetables and fruits, and cereal and breads.

2. Select as wide a variety of foods in each of the major food groups as is practicable in order to ensure a high probability of consuming adequate quantities of all essential nutrients.
3. Adjust dietary energy intake and energy expenditure so as to maintain appropriate weight for height; if overweight, achieve appropriate weight reduction by decreasing total food and fat intake and by increasing physical activity.
4. If the requirement for energy is low (e.g. reducing diet), reduce consumption of foods such as alcohol, sugars, fats, and oils, which provide calories but few other essential nutrients.
5. Use salt in moderation; adequate but safe intakes are considered to range between 3 and 8 g of sodium chloride daily.

The Food and Nutrition Board took a more cautious approach to dietary fat modification for the community at large, preferring individuals with risk for cardiovascular disease to be identified and counselled accordingly. It will be noted that the Food and Nutrition Board emphasized weight control as a relatively more important issue than did the combined HEW-U.S. Department of Agriculture document. It could be argued that, to a large extent, most other nutritional considerations fall into place when control is achieved.

The Food and Nutrition Board was also particularly concerned about the risk of inadequate nutrient intake when diets of less than 5000 kJ (1200 calories) are consumed.

Dietary guidelines for Australians

In 1978 a working party was set up by the Australian Association of Dietitians to formulate a national nutrition policy and to develop dietary guidelines. The working party included members of the health professions, academic nutritionists, home economists, a food industry representative, consumer interests and government. Its dietary guidelines were released in August 1979:

1. Eat a variety of foods each day.
2. Prevent and control obesity.
3. Limit the fat in your diet.
4. Decrease sugar consumption.
5. Limit alcohol consumption.
6. Increase your intake of fruit, vegetables, bread and cereals.
7. Reduce sodium intake.
8. Enjoy water.
9. Encourage breast feeding.

The Australian Department of Health through its spokesman, Dr Spike Langsford, announced similar guidelines in April 1979 in a 'set of eight dietary goals for Australians'. Although the Australian Department of Health's guidelines did not include 'to encourage the intake of water', this guideline has subsequently been supported by the Australian Department of Health.




Figure 38.1 Dietary guidelines for Australians take into account the need for an adequate diet and address the nutritional problems evident in Australia

The individual and the community

In formulating dietary guidelines for the community, the nutritionally related problems of the majority are borne in mind. One concern is that there may be some groups within the community for whom the guidelines are not appropriate. In the case of the dietary guidelines for Australians listed above, for example, it may be that those with particularly high energy needs could accommodate energy dense foods with a high fat or sucrose content. Even alcohol might meet extra energy needs in the particularly physically active, although this does not diminish predictably the risks of organic disease arising from excessive alcohol consumption. It may be that in a particularly hot environment more sodium could be

accommodated in the diet. There are some women who have particular difficulty in breast feeding and the guideline to encourage breast feeding would not be intended to make such women unduly anxious about the welfare of their infants.

Cost-benefit analyses are required when the relative merits of community oriented programmes against individually based advice is considered. For example, the cost of assessing the major coronary risk factors of all individuals in the community may be quite large, even though advice based on such individual assessments might theoretically be preferred.

One particular advantage of individual assessment and counselling about nutritional matters is that nutritional questions can be set alongside other priorities in the individual's life. Furthermore, the risks of non-nutritionally related health problems can be considered, and, in the light of these considerations, the relative merits of dietary change can be evaluated. Then, too, while a given overall change in food intake may be favourable for the majority, there may be a minority for whom it is not favourable: individual counselling would obviate this problem. Also, we have to consider the extent to which advice to the community is actually directed at a minority who die prematurely.

These are some of the problems facing those who are called upon to formulate national nutrition policy.

Further reading

Dietary Guidelines for Australians. Australian Association of Dietitians, PO Box 602, Woden, ACT, 2606.

FOOD AND NUTRITION BOARD, Division of Biological Sciences, Assembly of Life Sciences, National Academy of Sciences. *Toward Healthful Diets.* National Academy of Sciences, 2101 Constitution Avenue, Washington, DC 20418.

LANGSFORD, W. A. 'A Food and Nutrition Policy', *Food Technology in Australia.* 32, 1980, p. 116.

SWEDEN NATIONAL BOARD OF HEALTH AND WELFARE. *Diet and Exercise.* Stockholm, 1972.

U.S. DEPARTMENT OF AGRICULTURE. *Nutrition and Your Health.* US Department of Health, Education and Welfare.

Questions

1. When life expectancy in Australia is considered, to what extent do you think a national nutrition policy is justified?
2. What are some of the differences in dietary guidelines that have been formulated in different countries, and what might be the basis for the differences?
3. To what extent has the overall question of energy balance, other than energy intake alone, been taken into account in the formulation of national nutrition policy and dietary guidelines?
4. Take one group that would have a particular interest, economic or otherwise, in a national nutrition policy in Australia and consider how it might approach the question of nutrition policy.

FOOD & NUTRITION IN AUSTRALIA

Edited by Mark L. Wahlqvist

Contributors: David R. Briggs, Jill B. Carey,
Patricia A. Crotty, Delia M. Flint, Gwyn P. Jones,
Richard S. D. Read, Ingrid H. E. Rutishauser,
Boyd J. Strauss

Illustrations by Neville Todd

Methuen Australia

Methuen Australia Limited
44 Waterloo Road, North Ryde, New South Wales, 2113
Melbourne Adelaide Brisbane Perth

Copyright © Mark L. Wahlqvist, David R. Briggs, Jill B. Carey,
Patricia A. Crotty, Delia M. Flint, Gwyn P. Jones, Richard S. D. Read,
Ingrid H. E. Rutishauser, Boyd J. Strauss, 1981

All rights reserved. No part of this publication may be reproduced or
transmitted in any form or by any means, electronic or mechanical,
including photocopying, recording or by any information storage and
retrieval system, without permission in writing from
Methuen Australia Pty Ltd.

First published 1981
Revised edition 1982
Reprinted 1983
Cover design by Kim Falkenmire
Illustrated by Neville Todd
Set in 10/11 Garamond by B & D Modgraphic, Adelaide
Printed and bound by Koon Wah, Singapore

National Library of Australia
Cataloguing-in-Publication Data
Food and nutrition in Australia.

Rev. ed.
Previous ed.: North Ryde, N.S.W.:
Cassell, 1981
For senior secondary school students.
Bibliography.
Includes index.
ISBN 0 454 00414 1.

1. Food. 2. Food—Composition. 3. Nutrition.
I. Wahlqvist, Mark L.

641.3'00994

'I'm an Aussie' reproduced by
permission of P. Best and Monahan Dayman
and Adams

'The Schoolboy's Lament' reproduced by permission
of Brenda Ryan

'A Dip into the Past' reproduced by permission
of Phillip Adams

Contents

Section One The sociology of food 1

- 1 Nutrition: does it matter? Mark L. Wahlqvist 2
- 2 History of nutrition in Australia Mark L. Wahlqvist 11
- 3 Culture and food choice Patricia A. Crotty 20
- 4 Australian eating patterns Delia M. Flint 28
- 5 Food and the law David R. Briggs 43
- 6 Food faddism Delia M. Flint 54

Section Two The science of food 59

- 7 Food production Richard S. D. Read 60
- 8 Food processing Gwyn P. Jones 77
- 9 Food microbiology David R. Briggs and Gwyn P. Jones 87
- 10 Food preparation Jill B. Carey and Richard S. D. Read 101
- 11 Food additives David R. Briggs 121

Section Three Physiology and metabolism 131

- 12 Digestion and absorption Boyd J. Strauss 132
- 13 Metabolism Mark L. Wahlqvist 145

Section Four Nutrients and their significance 154

- 14 Energy Jill B. Carey and Richard S. D. Read 155
- 15 Carbohydrates Mark L. Wahlqvist 177
- 16 Dietary fibre Gwyn P. Jones 189
- 17 Lipids Mark L. Wahlqvist 198
- 18 Protein Richard S. D. Read 213
- 19 Water Boyd J. Strauss and Mark L. Wahlqvist 227
- 20 Vitamins Delia M. Flint 234
- 21 Major elements Boyd J. Strauss 252
- 22 Minor elements Boyd J. Strauss 264
- 23 Alcohol Boyd J. Strauss 271
- 24 Natural toxicants in food David R. Briggs 281
- 25 Food composition table and dietary allowances Delia M. Flint 290

Section Five Nutritional Status 303

- 26 The individual Delia M. Flint 304
- 27 The community Ingrid H. E. Rutishauser 310

Section Six Nutrition and the ages of man 318

- 28 Pregnancy and lactation Ingrid H. E. Rutishauser 319
- 29 Growing up: infant to adolescent Ingrid H. E. Rutishauser 334
- 30 The adult and family unit Mark L. Wahlqvist 359
- 31 The elderly Delia M. Flint 362

Section Seven Some issues in nutrition 368

- 32 Nutrition and cancer Mark L. Wahlqvist 369
- 33 Nutrition and the brain Mark L. Wahlqvist 373
- 34 Food allergies David R. Briggs 377
- 35 Our neighbours Delia M. Flint 382
- 36 Future food supply Richard S. D. Read 388
- 37 Nutrition education Patricia A. Crotty 400
- 38 National nutrition policy Mark L. Wahlqvist 412

Section Eight Nutrition resources 418

Index 422